







## MAP 4

Assessment of Mineral Resource Potential in the Ipswich-Brisbane Sector of the South-east Queensland Biogeographic Region

		SC	ALE 1:250 (	000		
5	0	5	10	15 I	20	25
			KILOMETRES			-
	BLUE NUMBERED LI	NES ARE 10 000 ME	TRE INTERVALS OF	THE AUSTRALIAN I	MAP GRID, ZONE 56	
		TRANSVE	RSE MERCATOR PR	OJECTION		

This series of five maps accompanies a report on the Mining Industry and Mineral Potential of Forested Areas of the South-east Queensland Biogeographic Region.

Information compiled by D.A. Berkman (Consultant) with assistance from C.G. Murray, L.C. Cranfield, W. F. Willmott and R.K.J. Blight (DNE), 1996.

Cartography and GIS coverages prepared by the Graphical Services Unit, DME.

Forested areas have been interpreted from 1:250 000 maps of Landsat TM imagery supplied by the Forest Assessment Section of the Department of Natural Resources, Queensland.

Base map derived from material which is Commonwealth Copyright, AUSLIG, Australia's National Mapping Agency. All rights reserved.

Published by the Department of Mines and Energy, Queensland.

© Queensland Government, 1996.

MAP REFERENCE

Highway

Secondary road

Railway

Built-up area

Generalised area of predominant native forest cover

South-east Queensland Biogeographic Region boundary

Producing Mine in Forested Areas

### MINERAL OCCURRENCES

Cu: 263 Location of mineral occurence

The number shown to the right of each location on the map is that in

Appendix 3 of the accompanying report which lists details of occurrences.

Metals							
Sb	Antimony	Cu	Copper	Ni	Nickel		
As	Arsenic	Au	Gold	Py	Pyrite		
Bx	Barite	Fe	Iron	Ag	Silver		
Ba	Bauxite	Pb	Lead	Sn	Tin		
Bi	Bismuth	Mn	Manganese	W	Tungsten		
Cr	Chromite	Hg	Mercury	Zn	Zinc		
Co	Cobalt	Мо	Molybdenun	7			
Industrial Minerals and Rocks							
Α	Asbestos	Gs	Gemstones	Ma	Marble		
Ci	Bentonite	lm	Ilmenite	Pe	Perlite		
Dt	Diatomite	Ck	Kaolin clay	R	Rutile		
Do	Dolomite	Ls	Limestone	Si	Silica		
Fs	Feldspar	Ms	Magnesite	Wo	Wollastonite		
Sf	Foundry sand	Mt	Magnetite	Ve	Vermiculite		
Energy Minerals							
	Cb Coa	d	Os	Oil Sha	ile		

Size of Deposits

The classification below is based on that established by Parkinson (1988) for the Atlas of Australian Resources.

It has been amended to allow for the well developed infrastructure of the Region.

SIZE CLASSIFICATION OF DEPOSITS\*

Commodity	Size of Deposit (tonnes of contained commodity)				
Commodity	Small	Medium	Large		
Bentonite	<100 000	100 000 - 1 000 000	>1 000 000		
Coal	<10 000 000	10 000 000 - 100 000 000	>100 000 000		
Copper	<50 000	50 000 - 1 000 000	>1 000 000		
Dolomite	<2 000 000	2 000 000 - 10 000 000	>10 000 000		
Gold (Troy ounces)	<50 000 (1.5 t)	50 000 - 500 000	>500 000		
Graphite	<10 000	10 000 - 200 000	>200 000		
Ilmenite	<5 000 000	5 000 000 - 10 000 000	>10 000 000		
Kaolin	<200 000	200 000 - 20 000 000	>20 000 000		
Lead	<100 000	100 000 - 1 000 000	>1 000 000		
Limestone	<2 000 000	2 000 000 - 10 000 000	>10 000 000		
Mercury	<500	500 - 20 000	>20 000		
Molybdenum	<5 000	5 000 - 200 000	>200 000		
Oil shale (cu. m of oil)	<10 000 000	10 000 000 - 100 000 000	>100 000 000		
Rutile	<200 000	200 000 - 500 000	>500 000		
Silica sand	<1 000 000	1 000 000 - 2 500 000	>2 500 000		
Zircon	<500 000	500 000 - 1 000 000	>1000 000		
Zinc	<200 000	200 000 - 5 000 000	>5 000 000		

\*Amended from Parkinson, G. (Ed) , 1988. Atlas of Australian Resources, vol. 5 (AUSLIG: Canberra)

# ZONES OF MINERAL POTENTIAL Note: Areas of likely potential for further deposits are bounded by full lines; areas of possible potential for further deposits are bounded by long-dashed lines; alienated areas are bounded by short-dashed lines.

areas of <b>possible</b> potential for further deposits are bounded by long-dashed lines; <b>alienated</b> areas are bounded by short-dashed lines.						
	Gold		Industrial Minerals			
American de la constante de la	Metalliferous	podence and secure de secure de constante de constante de cons	Coal			
de acompeleo mando esta por de la constante de	Heavy Minerals	when the continue of the conti	Oil Shale			

#### Codes for Zones of Mineral Potential

Each zone of mineral potential is identified by a code, which describes the principal commodity, the economic importance of the deposits in the zone, and its location. The code is a series of letters and numbers, arranged in a standard order, to provide the following information:

1. Commodity: The first two letters indicate the principal commodity, using Cb for black coal deposits, Au for gold, HM for heavy minerals (ilmenite, rutile and zircon), IM for industrial minerals (dolomite, graphite, kaolin clay, limestone, magnetite, perlite, silica and foundry sand), ME for metals (copper, lead, mercury and zinc), and OS for oil shale.

2. Economic Importance: The economic importance of the various types of gold and metalliferous deposits is shown by the letters A, B, C, D and Z, which are based on the typical size of the deposits in the class. Thus an A class zone is expected to contain large deposits of mineable grade, suitable for company mines, average B class deposits are smaller than A size, whereas D class zones contain small deposits, which may be suitable for small mines where they contain high-grade ore. Deposits that have been alienated are shown by the letter Z.

For zones of coal deposits, these letters do not indicate relative economic significance, but identify the coal measure

For zones of coal deposits, these letters do not indicate relative economic significance, but identify the coal measure sequence, eg type CbA zones are expected to contain deposits of Walloon coal, CbB of Ipswich Coal Measures coal, etc. There is no letter for this purpose in the code identifying zones with potential for deposits of industrial minerals, which are only identified by the letters IM.

3. Location: This is a number which gives a guide to the location of the zone, starting in the north of the area for gold and and metalliferous deposits. As an example, zone AuA1 is a zone with potential to contain gold deposits, of type A genesis (in this case of volcanogenic origin) which is considered to have the potential to provide large ore bodies, and is the northernmost of the AuA type zones.

#### Probability of Further Deposits

The probability of further deposits existing in a zone of mineral potential is judged to fall within one of four classes:

Likely, indicating there is a strong probability that the zone contains more deposits; (zone boundary shown with a solid line, and abbreviated to the letter L in the coded name of the zone in the accopanying report); or

Possible, indicating that there is some chance that the zone contains further deposits; (zone boundary shown with a long-dashed line and abbreviated to the letter P in the report); or

Alienated, indicating areas of known resources, but where closer settlement, mature conservation and other interests effectively preclude development for the foreseeable future; (zone boundary shown with a short-dashed line).

Low or Unknown, with only a slight or unknown chance of further deposits.

Only the areas of likely, possible, or alienated potential are shown as mineral potential zones on the maps, and the area of little or unknown potential is left as a white or background area. The assessment of probability or potential is not in any way related to the size of a deposit which may exist within a zone, but is an indication of the chance that an unknown deposit, of a specified origin, may be found. Likewise the position of the boundary of the zone is not related to the assessment of the level of potential.

#### Accuracy of Zone Boundaries

geological mapping, carried out in the early 1970s, which is less accurate than the recent mapping.

The accuracy of the location of each zone boundary is described in the text of the accompanying report. Two levels of information were used. For level A, the position of the boundary is based on adequate knowledge, so that the boundary position is considered 'definite'. At this level the zone boundary was based on information from detailed geological mapping, or modern regional geological mapping, and confirmed by the airmagnetic pattern.

For level B, the information and concepts used to draw the zone boundary are of lesser certainty, and the position of the boundary is classed as 'probable'. In these cases the boundary is often based on information from 'first-pass' regional